## IN THE CLAIMS:

Please amend the claims as shown below. The claims, as pending in the subject application, read as follows:

1. to 15. (Canceled)

16. (Currently Amended) A communication apparatus, which has a printer driver program and is capable of communicating that communicates with an information providing apparatus via a network and connects to printers, comprising:

a storage unit constructed to store printer driver programs, each of which is assigned to at least one of the printers;

a reception unit  $\frac{adapted}{constructed}$  to receive a recommended printing condition list from said information providing apparatus;

an acquisition unit adapted constructed to acquire printing printable condition information from the printer driver programs stored in said storage unit;

a list extraction unit adapted constructed to extract a printing condition selection list from the recommended printing condition list received by said reception unit, on the basis of the printing printable condition information acquired by said acquisition unit:

a condition selection unit adapted constructed to select a printing condition from the printing condition selection list extracted by said list extraction unit; and

a generation unit adapted constructed to generate print data on the basis of the printing condition selected by said condition selection unit, by using the printer driver program.

## 17. (Canceled)

- 18. (Previously Presented) The apparatus according to claim 16, wherein the printing condition selection list includes at least one of information about a printer model, information about a paper size for printing, information about a paper type for printing, and information about a layout for printing.
- 19. (Currently Amended) The apparatus according to claim 16, further comprising:
- a data selection unit  $\frac{1}{2}$  adapted  $\frac{1}{2}$  constructed to select data to be printed, which is stored in said information providing apparatus;  $\frac{1}{2}$  and
- $a\ download\ unit\ {adapted}\ \underline{constructed}\ to\ download\ the\ data\ selected\ by\ said$  data selection unit from said information providing apparatus,
- wherein said generation unit generates the print data from the data downloaded by said download unit.
- (Currently Amended) An information processing method for controlling printers and communicating with an information providing apparatus via a

network by using [[a]] printer driver programs, each of which is assigned to at least one of the printers, comprising:

a reception step of receiving a recommended printing condition list from said information providing apparatus;

an acquisition step of acquiring printing printable condition information from the printer driver program;

a list extraction step of extracting a printing condition selection list from the recommended printing condition list received in said reception step, on the basis of the <a href="mailto:printing-printable">printing-printable</a> condition information acquired in said acquisition step;

a condition selection step of selecting a printing condition from the printing condition selection list extracted in said list extraction step; and

a generation step of generating print data on the basis of the printing condition selected in said condition selection step, by using the printer driver program.

21. (Currently Amended) A computer-executable program stored on a computer-readable medium, the program for executing an information processing method for controlling printers and communicating with an information providing apparatus via a network by using a printer driver programs each of which is assigned to at least one of the printers, comprising:

a reception step of receiving a recommended printing condition list from said information providing apparatus;

an acquisition step of acquiring <u>printing printable</u> condition information from the printer driver program;

a list extraction step of extracting a printing condition selection list from the recommended printing condition list received in said reception step, on the basis of the <a href="mailto:printing-printable">printing-printable</a> condition information acquired in said acquisition step;

a condition selection step of selecting a printing condition from the printing condition selection list extracted in said list extraction step; and

a generation step of generating print data on the basis of the printing condition selected in said condition selection step, by using the printer driver program.